



MARBLES. ART . STONES 600X1200MM

# **FEATURES**



#### **ECO Friendly**

Tiles uses raw materials and technologies that ensure its products are eco-friendly.



### Digital Printing +

Tiles has a Creta digital printer, which executes impressive designs on tiles.



#### **High Reflection Glaze**

Tiles only uses a high reflection glaze for immaculate aesthetic results.



#### **Abrasion Resistance**

Produced with modern technology, Tiles are resistant to harsh stains & abrasions.



#### **Imported Super Glaze**

Tiles has partnerships with foreign companies, which facilitate high-quality glazes to Italica.



#### 100% Replacement for Italian Marble

Tiles are aesthetically superior and are a direct replacement of Italian marble slabs.



#### **Zero Maintenance**

Tiles are an exceptional surface covering option which requires zero maintenance once laid.



#### **Low Water Absorption**

Modern surfaces are ensured to be non-porous, making them absorb less water.



#### Nano Technology

Tiles uses Advanced Nano Micro Polish for ensuring the better appearance of tiles.




## Random Design

Tiles has Random Designs in its surfaces to give decors a more wholesome appearance.



# **APPLICATION POTENTIAL**





HOUSE












**TABLE TOP** 



BEDROOM



**BUILDING FACADE** 



# **DESIGN** LOOK







# **SYMBOLOGY** EXPLAINED



# PRODUCT TYPE/ CATEGORY



GZ GLAZED SURFACE

#### **PRODUCT FINISH**

CARVING

SUGAR

SATIN / SMOOTH

MATT



HIGH GLOSS POLISHED - DARK COLOURS



HIGH GLOSS POLISHED



POLISHED - GLOSS



R10/R11 SURFACES

#### **OTHERS FEATURES**





NUMBER OF DESIGNS / SHADES

#### **FEATURES**



Surfaces

Hygienic Unalter



Colours

Heat Resistant




Chemical Resistant



Environmental Friendly

# CARVING





# **CARVE APRICA**















Carving Area






























CRVING 600X1200MM



Carving Area































Carving Area






























CRVING 600X1200MM



Carving Area





























CRVING 600X1200MM



Carving Area


























**CRVING** 600X1200MM






















# **CARVE MAXIMA WHITE**









#### CRVING 600X1200MM



Carving Area






























Carving Area






























CRVING 600X1200MM



Carving Area

















# **CARVE OLIVIA CREMA**









CRVING 600X1200MM



Carving Area

















# **CARVE PULPIS BLUE**














Carving Area























Carving Area













Environmental Friendly



















Carving Area

































Carving Area









# **CARVE TERRAZO BEIGE**













CRVING 600X1200MM



Carving Area



























Carving Area





















Carving Area













# 



## **ASHWOOD**



600X1200MM | MATT 600X600MM



## **ASHWOOD BEIGE**



600X1200MM | MATT 600X600MM



## **ASH WOOD GREY**



600X1200MM | MATT 600X600MM

























## **AVALLON CLOUDY**



600X1200MM | MATT 600X600MM



## **AVALLON EARTH**



600X1200MM | MATT 600X600MM



## **AVALLON SLATE**



600X1200MM | MATT 600X600MM



























#### **AVALLON TAUPE**



600X1200MM | MATT 600X600MM




#### **BAYCLIFF FOSSIL**



600X1200MM | MATT 600X600MM



#### **BORNEO IVORY**



600X1200MM | MATT 600X600MM


























#### **CEMENTO WHITE**



600X1200MM | MATT 600X600MM



#### **FOSTER GREY**



600X1200MM | MATT 600X600MM



#### **FOSTER SLATE**



600X1200MM | MATT 600X600MM



























#### **HELMER LIGHT**



600X1200MM | MATT 600X600MM



#### **IRIS WOOD BROWN**



600X1200MM | MATT 600X600MM



#### **LAUFEN BRUNETTE**



600X1200MM | MATT 600X600MM



























### **LAUFEN GOLD**



600X1200MM | MATT 600X600MM



#### **LAUFEN GRIS**



600X1200MM | MATT 600X600MM



#### **LOUNGE GREY**



600X1200MM | MATT 600X600MM




























#### **LOUNGE SLATE**



600X1200MM | MATT 600X600MM




#### MICHIGAN OLIVE



600X1200MM | MATT 600X600MM



#### **NURIA GRIS**



600X1200MM | MATT 600X600MM


























#### **NURIA MIST**

600X600MM



#### **REGAL BEIGE**



600X1200MM | MATT 600X600MM



#### **SAFARI CREMA**



600X1200MM | MATT 600X600MM
























#### **SANDSTONE CREMA**



600X1200MM | MATT 600X600MM




#### **SANDSTONE DUNE**



600X1200MM | MATT 600X600MM



#### **SANDSTONE KHAKI**



600X1200MM | MATT 600X600MM





























## SANDSTONE LT GREY



600X1200MM | MATT 600X600MM



#### **SEASHELL BEIGE**



600X1200MM | MATT 600X600MM



#### **SEASHELL BROWN**



600X1200MM | MATT 600X600MM

















#### **SURGE BEIGE**



600X1200MM | MATT 600X600MM



## **TENGO WOOD**



600X1200MM | MATT 600X600MM



#### **WILLIAM CREMA**



600X1200MM | MATT 600X600MM





















#### **PACKING DETAILS**

SR.NO.	DIMENTIONS	NO. OF TILES /BOX	COVERAGE AREA IN MTR.	COVERAGE AREA IN SQ FEET
01	600X600MM	4	1.44 MTR.	15.5. Sq ft box
02	600X1200MM	2	1.44 MTR.	15.5. Sq ft box

#### **DISCLAIMER:**

Company reserves the right to delete & amend either totally or partially, any of the colours, shapes, sizes, references and other technical specifications contained in this catalogue at any time. The colours shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of colours, sizes, references should be verified for Typographical errors. SHADE & SIZE VARIATIONS are inherent characteristics of ceramics. NO COMPLIANT SHALL BE ENTERTAINED ON TILES ALREADY LAID/FIXED. Complaint of decoration done outside Company's facilities will not be entertained.

#### **NOTES:**

Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right of change the specification without prior notice. Sometime variation in shade or size being inherent to ceramic industry may occur. Before fixing. we advise you to follow the fixing instructions in the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed

#### **GENERAL NOTES:**

Any Complaint must be must be brought to the company's notice within 10 days of purchase & before fixing of tiles

# **TECHNICAL SPECIFICATIONS**

CHARACTERISTICS	STANDARD AS PER ISO-13006/ EN14411 GROUP BIA	KISHEL VALUE	TEST METHOD
Deviation in length & width	±0.5%	± 0.1%	ISO-10545-2
Deviation in thickness	± 5.0%	± 4.0%	ISO-10545-2
Straightness in side	± 0.5%	± 0.1%	ISO-10545-2
Rectangularity	± 0.6%	± 0.1%	ISO-10545-2
Surface flatness	± 5.0%	± 0.2%	ISO-10545-2
Color difference	Unaltered	No change	ISO-10545-16
Glossiness	As per mfg.	Min.90%	GLOSSOMETER
Water absorption	<0.50%	< 0.20%	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	DIN S1082
Modulus of rupture	Min. 35 N/mm2	Min.40 N/mm2	ISO-10545-4
Breaking Strength	Min.1300 N	Min. 2000N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
Surface abrasion resistance	As per mfg.	Min. Class-3	ISO-10545-7
MOH's Hardness	As per mfg.	Min. 4	EN 101
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Crazing resistance	As per mfg.	Min. 10 Cycle	ISO-10545-11
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	ISO-10545-14
Slip resistance	As per mfg.	> 0.40	ISO-10545-17
Fire resistance	As per mfg.	Fireproof	N.A
Lead & cadmium give off by glazed tiles	As per mfg.	Doesn't yield Pb & Cd	ISO-10545-15













# **REACH** US

# DOMESTIC INQUIRY

- +91 98548 90548
- info@kishelceramics.com

## **KISHEL CERAMICS**

Gujarat (INDIA).

+91 99765 22222











## **EXPORT INQUIRY**

- +91 98548 90548
- export@kishelceramics.com